

The Use of Medicinal plants and tribes

Dr. Bhavna Bawra^{1*} and Dr. Mukesh Kumar Napit²

1. Assistant Professor, Department of Zoology, Govt. Degree College, Bhua-bichhiya, Mandla, M.P.
2. Assistant Professor, Department of Zoology, Govt. Dr. Shyama Prasad Mukherjee Science and Commerce P.G. College (Purana Benazeer), Bhopal

ABSTRACT

India is a country where nature is the life line of tribals. The present study was carried out in bichhiya block around the Kanha national park area of Mandla, where many tribes are living and using many local medicinal plants to heal themselves. Here the study is based on the use of folk medicinal knowledge of Baiga, Gond, Bhariya and Kol tribes located in the Mandla district of Madhya Pradesh. There are about 30 well known medicinal plants which becomes the part of many tribal medicinal preparations in form of dry and wet form. Different parts of plants like leaf, stem, root bark and fruit use in various treatments either alone or in combination. This study also explored that the basic or specific constituents of plant are responsible for their use in treatment of human and animal ailments. The knowledge of folk healers is very valuable in field of medicine and treatment.

Keywords- Tribals, folk medicine, medicinal plants, phytoconstituents

INTRODUCTION

From the ancient time the human being is dependent on nature for food, shelter and health. Worldwide many medicinal systems like Indian Ayurveda, Unani and Chinese all are using various parts of the plants in different forms to heal the ailments and health problems. Ayurvedic practice is around 3000 years old, with a long history of managing disease. The three basic principles, called doshas (vata, pitta, and kapha). Oral administration routes play a major role in influencing individuals' doshas, via the ingestion of food, spices, and medicinal plants. (1) The study is mainly showing the use of locally present medicinal plants by Baiga, Gond, Bhariya and Kol tribes located in the Mandla district of Madhya Pradesh specially around the bichhiya and nearby placed forests. The folk healers become the people who use plant preparations for the different diseases in different forms like in powder, mixture or in fresh form according to the level of the problem.

These folk healers have inherited the art of curing the patient for skin, fungal, bacterial and many internal diseases by using medicinal plant preparations found in forest ecosystem around their tribal localities. (2) These healers know the properties of large number preparations used to cure body disorders and diseases, which needs to be documented and scientifically examined for cure of ailment. These plants were cross-checked with available literature to know the significance of this tribe on medicinal knowledge. A total of thirty commonly species belonging to different plants families were documented (3). The use of herbs is increasing day by day not only in medicines but also in cosmetics and as food supplements and health tonics. (4)

Mandla district is the biodiversity rich state of Madhya Pradesh. In Mandla bichhiya block is surrounded by Ghughri Tehsil towards North, Mawai Tehsil towards East, Mandla Tehsil towards west, Mohgaon Tehsil towards North (5). Most of the village population was below poverty line and away from the modern life. Utilization and harvesting practices of medicinal plants used by local people of bichhiya block.

During the survey it was observed that some areas are rich in biodiversity. (4) The preparation of remedies includes trees, shrubs, climbers and herbs. The documented information revealed that 30 medicinal formulations used by tribes of Mandla district for different diseases treatment in form of leaves, bark, fruit, root, seeds, flower or some time whole plant.6,7.

MATERIAL AND METHODS

2.1. Study Area

The present study was conducted in the Bichhiya block of Mandla districts which is covered with many forest parts and has Gond, Baigas and bheel and other tribes which use many Medicinal plants for their health and wellness. Karanjia Mal, Ghonta, Mocha, Thoda, Bhai bahan nala, Devridadar, Kanhari Kala, Sakwah, Jagmandal, kala pahad. Mangeli, Motinala, Ajgar- dadar, Khairaki, ramnagar, have been identified in Bichiya block.

The study resulted in the documentation of 31 medicinal plants used by traditional healers for curing various diseases either directly single or in mixture with other herbs.

2.2. Survey

For the study the villages and forests of bichhiya was selected. The local folk medicine practitioners, vaidya, old peoples, pands, nari vaidys and forest officials were also interviewed for the collection practices of medicinal plants.

The extensive survey questioner included the used of different plants part in different therapies, traditional practices, quantity of medicinal plants collection, and medicinal plants trading. The plants are arranged alphabetically by botanical name, family, local name and use of plant. For the phytochemical of these plants literature survey was done with the help of internet and books.



Table - 1

Name of the Plant (Botanical name)	Local name	Plant family	Plant part use	Disease treatment	Name of the Phytoconstituents
Abrus precatorius	Ghumachi		seed	Purgative and abortifacient, antifertility activity.	Abrin, alanine, serine, choline, valine, methyl ester. (8)
Acacia nilotica (L.) Del.	Babul	Mimosaceae	Bark	Pyorrhea, dysentery and diabetes, The gum is roasted and safely given in weakness and anemia. (iii) Leaf poultice is used for veterinary facture. Stem bark is useful in colic of cattles.	Terpenoids, tannins, alkaloids, saponins, glycosides, Terpenoid tannins, alkaloids, saponins, glycosides, anthraquinones, phenols (9)
Acorus calamus Linn	Bach/Vach / sweet flag	Araceae	Rhizome, leaf	The dried powdered rhizome with honey is effective to cure common cold and whooping cough. It removes catarrhal matter and phlegm from the bronchial tube and thus is highly beneficial in the treatment of bronchitis and asthma. (ii) Leaf paste is applied on wounds to destroy maggots. Rhizome powder is useful in dyspepsia.	Alpha and beta-asarones (10)
Achyranthes aspera Linn.	Chirchita, Latjra	Amaranthaceae	Root, seed	Root paste is applied on scorpion sting. (ii) Roasted and powdered seeds are useful in asthma. (iii) Root paste with heeng is given to cows and oxen for bronchitis. Antimicrobial, Larvicidal	Alkaloids, tannins, cardiac glycosides, steroids, flavonoids, terpenoids, reducing sugar saponin (11)
Aegle marmelos (L) Corr	Bel	Rutaceae	Fruits, leaves, bark,	Diarrhea, dysentery, irritation of alimentary canal, fever and as tonic and cooling agent.	Coumarin, xanthotoxol, imperatorin, aegeline, marmeline, β -sitosterol (12)

Albizia lebeck (L.) Willd	Siris	Mimosaceae	Bark and seeds.	Bark and seeds given in piles diarrhea and abdominal tumors. cough, flu, and lung ailments.	Fixed oil, stearic, arachidic,oleic and linoleic acid, tannin and saponins (13)
Aloe vera	Gwarpatha	Asphodelaceae	leaf	The peelings of the leaves are used in skin burn. The gel of the plant is given orally in ulcers. the fleshy part is also used in facial creams.	Anthraquinone glycosides, aloin, Barbaloin, β -barboloin (14)
Andrographis paniculata (Burm.f.) Nees	Kalmegh	Acanthaceae	Decoction of whole plant	The tribal and rural people widely use decoction of whole plant for malaria and jaundice with remarkable success	Andrographolide and neoandrographolide, flavonoids (15)
Annona squamosa Linn	Sitaphal	Annonaceae	Root, leaf, seed, fruit	Roots and leaves are used to kill the worms in sores as a valuable bio-insecticide. (ii) Leaf extract is useful in veterinary wounds. Seed powder destroys the cattle maggots and ectoparasites.fruit as tonic	Acetogenins (ACGs), diterpenes (DITs), alkaloids (ALKs) and cyclopeptides (CPs) (16)
Anogeissus latifolia (Roxb. ex. DC.)	Dhawa/ Dhaora/ Bakli	Combretaceae	Root, bark, leaf, fruit	The roots are useful in Kapha, vata, and abdominal disorders. (ii) The bark is useful in wounds and ulcers. (iii) The leaf juice is good for otopyorrhoea. (iv) The fruits are useful in diarrhoea and dysentery.	Tannin, leucocyanidin, ellagic acid, Steroid, β -sistosterol a triterpenoid (17)
Argemone mexicana Linn.	Pilikateli	Papavaraceae	Latex, seed	Latex is useful in scabies and ringworm. Seeds poultice is applied on boils.	Isoquinoline alkaloids berberine, cryptopine, coptisine, muramine,(18)
Asparagus racemosus Willd.	Satawar	Liliaceae	roots	The powder of massive roots alongwith milk is given during pregnancy to increase the body weight and growth of foetus. It is also good to restore the weakness and anaemia in nourshing women. (ii) Root powder with boiled water stops white discharge and bleeding during pregnancy. (6)	Saponins and flavonoids (19)

Azadirachta indica	Neem	Meliaceae	All parts	antiseptic and used in ulcer, eczema and skin diseases.	Azadirachtin, Nimbanene, Quercetin β -sitosterol, polyphenolic flavonoids, (20)
Barleria prionitis Linn. sp.	Bajradanti, katsariya	Acanthaceae	Leaf	Leaf juice used in cough, ear complains, glands swelling, and gum troubles.	Barlerinoside, pipataline, verbascoside (21)
Boerhaaviadiffusa Linn.	Punarnaba, Patharchatt a	Nyctaginaceae	Roots	The root is useful in anaemia, nervous weakness, constipation and stomach disorders. Root has antiviral properties and prescribed in jaundice.	Amino acids, flavonoid glycosides, isoflavonoids (rotenoids), steroids (ecdysteroid), alkaloids, and phenolic and lignan glycosides. (22)
Bauhinia variegata Linn.	Kachnar	Caesalpiniaceae	Bark, Flowers, Root,	Bark decoction is used to wash the oral ulcer. It is also useful in dysentery	Quercitroside. Isoquercitroside, rutoside, Flavanone (23)
Buchanania lanzan Sprengel Syn. B. latifolia Roxb.	Char, Chironji	Anacardiaceae	Stem, Seed, root	The gum that exudes from the stem is considered efficaceous in diarrhoea. (ii) The seeds are very nutritive and given in general weakness. roots as a wound healing, anti-diarrhoeal, wound healing, anti-diarrhoeal,	Kaemferol and glycoside flavonoid (24)
Calotropis procera Br.	Madar	Asclepiadaceae	Root, bark leaves	Flowers are used in cold cough and Asthma Powdered Root bark used in dysentery. Fresh leaves in ulcer and as wormicidal	Cardenolides, steroids, tannins, glycosides, phenols, terpenoids, sugars, flavonoids, alkaloids saponins. (25)

Cassia tora L.	Chakwda	Caesalpiniaceae	Leaf and seeds	Leaf and seeds used in skin disease for ring worm and itch.	Emodin, tricontain-1-ol, stigmasterol, β -sitosterol β -D-glucoside, succinic acid, tartaric acid, uridine, quercetin, isoquercetin, anthraquinones (26)
Centella asiatica (L). Urba	Bramhi	Apiaceae	Entire plant	nervine tonic, and skin diseases as weak sedative, cardio depressant, hypotensive and in leprosy.	Pentacyclic triterpene compounds, mainly asiatic acid, madecassic acid and triterpene saponin-asiaticoside, madecassoside several micronutrients (27)
Cuscuta reflexa Roxb.	Amarbel	Convolvulaceae	Seeds	Seeds used in ulcer and liver disorders.	Cuscutin, amarbelin, β -sitosterol, stigmasterol, kaempferol, dulcitol, myricetin, quercetin, coumarin oleanolic acid (28)
Dalbergia sissoo Roxb	Shisham	Fabaceae	leaf, Flowers Skin	Decoction of leaf Useful in gonorrhoea, Flowers were used for Skin problems, as blood purifier and immunity Booster	Carbohydrates, proteins, amino acids, phenolic compounds, flavonoids, alkaloids, saponin, phytosterols, steroids, tannins (29)
Eclipta prostrata Linn.	Bhringraj, Bhumiraj	Asteraceae	Leaves	Leaves are chewed for control of malarial fever	Coumestan derivatives, phenolic acid derivatives, flavonoids, triterpenoid and steroid saponins, substituted thiophenes (30)

Hygrophila auriculata (Schum)	Talmakhan a	Acantaceae	Leaves, Seeds Roots	Leaves, seeds and roots are used as diuretics and also for jaundice, dropsy, rheumatism and urinogenital disorder	Lavonoids (apigenin, luteolin, ellagic acid, gallic acid and quercetin), alkaloids (asteracanthine, asteracanthicine), triterpenes (lupeol, lupenone, hentricontane and betulin), sterols (beta-stigmasterol) (31)
Madhuca longifolia (Koen) Mac Br.	Mahua	Sapotaceae	Bark, flower	bark is used in incurring bleeding gums and ulcers. Flowers are used in cough and bronchitis	Proteins, amino acids, mucilage, terpenoids, anthraquinone glycosides, cardiac glycosides, saponins and tannins (32)
Mucuna pruriens (L) DC	Kemmach	Fabaceae	Root, Seeds	Root used in paralysis, seeds are used as nervine tonic neuroprotective effects, menses troubles and as vermifuge, strong infusion of roots mixed with honey is given in cholera	Saponin flavonoids, moderate amount of tannin, Phenols (33)
Papaver somniferum	Afeem	Papaveraceae	Flower, fruits, Seeds	Flower, fruits and Seeds have pain releasing and sleeping effects and useful in irritating cough, pneumonia, ulcers, gastritis and influenza	Alkaloids like morphine, codeine, porphyroxine (34)
Rauvolfia serpentine (L.) Benth.	Sarapgand ha	Apocynaceae	Leaf, Root	Leaf juice is used as remedy for opacity of cornea, Root is sedative, reduces hypertension.	Alkaloids, resperine carbohydrates, flavonoids, glycosides, phlobatannins, phenols, resins, saponins sterols, tannins and terpenes (35)
Shorea robusta Gaertn f.	Sal	Dipterocarpaceae	Resin	Resin is used in skin diseases, diarrhea and dysentery	Alkaloids, flavonoids, glycosides, phenolics, saponins, steroids,

						tannins, Triterpenoids (36)
Terminalia arjuna (Roxb.) Wt. & Am.	Arjun	Combretaceae	Bark, fruit	Bark infusion used in heart troubles and leaf juice in earache, hypertension and as diuretic and has tonic effect in cirrhosis of lever.	Arjunolic acid, tomentosic acid, β -sitosterol, Arjunone, cerasidin (37)	

RESULTS AND DISCUSSION

During the study total common 30 medicinal plants were investigated for the consumption or application on body as a medicine in various forms according to the health problem by the traditional healers. Their chemical constituents were also searched with help of literature available in various research papers of various researchers and medical practitioners. The various parts of plants like root, stem, leaves, or any part which carry medicinal properties was used by local traditional healers (Table 1).

According to the study it was found that the plant parts are used in different forms like powder, paste, oil, raw, dried, wet, roasted or in decoction. The preparation can carry the single drug or mixture of different plant parts according to the disease, its effect on body organ and duration of the problem. The dose of the preparation becomes according to the age of the person along with the proper instruction of taking dose and food precautions. Different drugs given in different During the study it was found that mostly the medicinal plants carry lots of common phytoconstituents and some specific constituents which affect body actively and rejuvenate the body activity either chemically or physiologically. So that the folk medicinal practitioner and tribal healers have used the plant preparation in treatment. Their knowledge is based on the practice of their old family members who transferred their knowledge and various methods of drug preparation with help of natural availabilities from generation to generation and while modern time scientists have also verified these drug formations in their medicines due to their effectiveness.

Some traditional preparation needs more scientific explorations and experiments to show the efficacy of the drug combination.

Acknowledgements

We are thankful to Shri Nandram Baiga, Nari Vaidya of baiga tribe in bichhiya block. We are also thankful to tribals and rural people who cooperated in sharing their knowledge on ethnomedicinal studies.

Reference

1. Kumar S, Dobos GJ, Rampp T. The Significance of Ayurvedic Medicinal Plants. *J Evid Based Complementary Altern Med.* 2017 Jul;22(3):494-501. doi: 10.1177/2156587216671392. Epub 2016 Oct 5. PMID: 27707902; PMCID: PMC5871155.
2. Shankar R, Lavekar GS, Deb S, Sharma BK. Traditional healing practice and folk medicines used by Mishing community of North East India. *J Ayurveda Integr Med.* 2012 Jul;3(3):124-9. doi: 10.4103/0975-9476.100171. PMID: 23125508; PMCID: PMC3487237.
3. Rai, M.K., Pandey, A.K. and Acharya Deepak. (2000). Ethno-medicinal plants used by Gond tribe of Bhanadehi, district Chhindwara, Madhya Pradesh. *J.Non-Timber Forest Products*, 7(3/4): 237-241.
4. <https://mpsbb.mp.gov.in/completedProject/MB.pdf>
5. http://www.onefive-nine.com/india/villages/Mandla/Bichhiya/Bichhia_
6. Dikshit, S. S., and Kala, C. P. (2014). Traditional Utilization and Harvesting of Medicinal Plants in Mandla District of Madhya Pradesh. *Applied Ecology and Environmental Sciences*, 2(2), 48-53.

7. Ganesh Singh Sandya¹, KumudSandya. Ethnomedicinal Plants Used by Baiga Tribes in Mandla District Madhya Pradesh (India) International Journal of Science and Research (IJSR) ISSN (Online): 2319-7064 Index Copernicus Value (2013): 6.14 | Impact Factor (2013): 4.438.
8. A brief review on a traditional herb: *abrusprecatorius* (L.) Anamika Das^{1,*}, Vernika Jain², Amarnath Mishra International Journal of Forensic Medicine and Toxicological Sciences, October-December, 2016:1(1):1-10.
9. RashaJame. Phytochemical and Pharmacological Uses of *Acacia Nilotica* - A Review. International Journal of Bioorganic Chemistry 2018; 3(2): 6-10.
10. Rajput SB, Tonge MB, Karuppayil SM. An overview on traditional uses and pharmacological profile of *Acorus calamus* Linn. (Sweet flag) and other *Acorus* species. Phytomedicine. 2014 Feb 15;21(3):268-76.
11. Sharma, Veena & Chaudhary, Urmila & Singh, Rashmi & Agarwal, Aastha. (2013). *Achyranthes aspera*: Phytochemical Estimation. American Journal of Potato Research. 3. 243-251.
12. Chamila Kumari Pathirana, Terrence Madhujith, JanakieEeswara, "Bael (*Aegle marmelos* L. Corrêa), a Medicinal Tree with Immense Economic Potentials", *Advances in Agriculture*, vol. 2020, Article ID 8814018, 13 pages, 2020. <https://doi.org/10.1155/2020/8814018>
13. Abdalbasit Adam Mariod, Mohamed Elwathig Saeed Mirghani, Ismail Hussein, Chapter 41 - *Albizia lebeck* (L. Benth.) *Lebeck* Tree Seed. Unconventional Oilseeds and Oil Sources. Academic Press, 2017, Pages 277-281, ISBN 9780128094358.
14. R. Rajeswari, M. Umadevi, C. Sharmila Rahale, R. Pushpa, S. Selvavenkadesh¹, K. P. Sampath Kumar, Debjit Bhowmik. *Aloe vera*: The Miracle Plant Its Medicinal and Traditional Uses in India. Journal of Pharmacognosy and Phytochemistry. Vol. 1 No. 4 2012.
15. Md. Sanower Hossain Zannat Urbi, Abubakar Sule, K. M. Hafizur Rahman, "Andrographis pauciculata (Burm. f) Wall. ex Nees: A Review of Ethnobotany, phytochemistry and pharmacology" The scientific world journal. Vol. 2014. Article ID 274905, 28 pages.
16. Chengyao Ma, Yayun Chen, Jianwei Chen, Xiang Li and Yong Chen. A Review on *Annona squamosa* L.: Phytochemicals and Biological Activities. The American Journal of Chinese Medicine VOL. 45, NO. 05
17. Dhal, Nabin & Sahoo, Kalpana & T., Mishra. (2011). Antibacterial activity of *Anogeissus latifolia* (Roxb.ex.DC) .ex Guill. and Perr. Eco.Env. & Cons. 17.
18. Sunita Verma. Phytochemical and pharmacological study on *argemone mexicana* linn (papaveraceae). sunita. int j pharm 2017; 7(1): 90-93.
19. Singh R. *Asparagus racemosus*: a review on its phytochemical and therapeutic potential. Nat Prod Res. 2016 Sep;30(17):1896-908. doi: 10.1080/14786419.2015.1092148. Epub 2015 Oct 13. PMID: 26463825.
20. Alzohairy MA. Therapeutics Role of *Azadirachta indica* (Neem) and Their Active Constituents in Diseases Prevention and Treatment. Evid Based Complement Alternat Med. 2016; 2016:7382506. doi: 10.1155/2016/7382506. Epub 2016 Mar 1. PMID: 27034694; PMCID: PMC4791507.
21. Banerjee D., Maji, A.K. S.Mahapatra and P.Banerji. article. *Barleria prionitis* Linn. Review of its Traditional uses, phytochemistry. Pharmacology and toxicity. Journal of phytochemistry. 6(2), 31-41, 2013.
22. Mishra S, Aeri V, Gaur PK, Jachak SM. Phytochemical, therapeutic, and ethnopharmacological overview for a traditionally important herb: *Boerhavia diffusa* Linn. Biomed Res Int. 2014; 2014:808302. doi: 10.1155/2014/808302. Epub 2014 May 14. PMID: 24949473.
23. Singh, Amandeep & Singh, Narinder & Pabla, Dilrose. (2019). A Review on Medicinal Uses of *Bauhinia Variegata* Linn. 2347-7881. 10.29161/PT. v7.i6.2019.12.
24. Rai Puneet Kumar, Sharma Dev Raj, Sharma Amit. *Buchanania lanzan* is a pharmacognostic Miracle Herb. Research Journal of Pharmacognosy and Phytochemistry. Year: 2015, Volume: 7, Issue: 3, page: (182) Last page: (188).
25. Al-Snafi, Ali. (2015). The constituents and pharmacological properties of *Calotropis procera* -an overview. International Journal of Pharmacy Review & Research 2015; 5(3): 259-275. 5. 259-275.
26. Navneet Kumar Verma*, Asheesh Kumar Singh, Amit Kumar Chaurasiya. *Cassia Tora* Linn: Importance and Properties: A Review. International Journal of Pharmaceutical Research and Applications. Volume 6, Issue 4 July-Aug 2021, pp: 631-634.

27. Vasu, Sudhakaran. (2017). Botanical Pharmacognosy of *Centella asiatica* (Linn.) Urban. *Pharmacognosy Journal*. 9. 546-558. 10.5530/pj.2017.4.88.
28. Patel S, Sharma V, Chauhan NS, Dixit VK. An updated review on the parasitic herb of *Cuscuta reflexa* Roxb. *Zhong Xi Yi Jie He Xue Bao*. 2012 Mar,10(3):249-55. doi: 10.3736/jcim20120302. PMID: 2240991.
29. Al-Snafi, Ali. (2017). Chemical constituents and pharmacological effects of *Dalbergia sissoo* -A review. *IOSR Journal of Pharmacy*. 7. 59-71. 10.9790/3013-0702015971.
30. Timalsina D, Devkota HP. *Eclipta prostrata* (L.) L. (Asteraceae): Ethnomedicinal Uses, Chemical Constituents, and Biological Activities. *Biomolecules*. 2021 Nov 22;11(11):1738. doi: 10.3390/biom11111738. PMID: 34827736; PMCID: PMC8615741.
31. Sethiya NK, Ahmed NM, Shekh RM, Kumar V, Kumar Singh P, Kumar V. Ethnomedicinal, phytochemical and pharmacological updates on *Hygrophila auriculata* (Schum.) Hiene: an overview. *J Integr Med*. 2018 Sep;16(5):299-311. doi: 10.1016/j.joim.2018.07.002. Epub 2018 Jul 4. PMID: 30007830.
32. Gopalkrishnan, Bindu & Shimpi, S.N. (2012). Pharmacognostical studies on stem bark of *Madhuca longifolia* (Koen.) Macbr. var. *latifolia* (Roxb.) A. Cheval. *Indian Journal of Natural Products and Resources*. 3. 232-236.
33. Krishnaveni, Marimuthu & D, Hariharan. (2017). Phytochemical analysis of *mucuna pruriens* and *hyoscyamus niger* seeds. *International Journal of Pharmacy and Biological Sciences*. 7. 6-13.
34. Asihuddin, M., Jafri, M., Siddiqui, A., & Chaudhary, S. (2018). Traditional uses, phytochemistry and pharmacological activities of *papaver somniferum* with special reference of unani medicine an updated review. *Journal of Drug Delivery and Therapeutics*, 8(5-s), 110-114.
35. Kumari, Reeta & Rathi, B. & Rani, A. & Tiwari, S.M. & Bhatnagar, Sonal. (2013). *Rauvolfia serpentina* L. Benth. ex-Kurz: Phytochemical, pharmacological and therapeutic aspects. *International Journal of Pharmaceutical Sciences Review and Research*. 23. 348-355.
36. Sri Rama Murthy, K. & Lakshmi, N. & Ramulu, D. (2011). Biological activity and phytochemical screening of the oleoresin of *Shorea robusta* Gaertn. f. *Tropical and Subtropical Agroecosystems*. 14. 787-791.
37. Padmaa M Paarakh. *Terminalia arjuna* (Roxb.) Wt. and Arn.: A Review. *International Journal of Pharmacology*. Year: 2010, Volume: 6, Issue: 5, | Page No.: 515-534. DOI: 10.3923/ijp.2010.515.534